

**A.**

## Solarhouse Type 1

The **Solarhouse Type 1** set consists of 2 **Solarhouse 3000 SU** collectors (3.7m<sup>2</sup>) and a **289l double-coil tank** for domestic water heating. It is sufficient for a family of 2-4 people and gives the best results when used in the summer; it is perfect for holiday houses.



Cat. No.	Name	Qty
01-1110	Solar collector Solarhouse 3000 SU - flat panel	2
SP 289	2 Coil Copper Cylinder 289 Ltr. OR Solasyphon with Essex Flange	1
02-1002	Roof aluminium fixing type S-II	1
04-0114	15 mm Installation Set for 2 collectors Solarhouse 3000 SU	1
TyfoconLS10	Solar collectors liquid 20l.	2
FlowconA	Single Solar Group with insulation and rotameter 1-6l/min	1
Clamp.Screw	Clamp Screw 3/4"-15mm (or 3/4"-22mm) copper pipe connection to Flowcon A	2
18litre	18l. solar collectors extension tank	1
VesselConSet	Expansion Vessel Connection Set	1
SolarRoofBolts	Solar Roof Bolts 125mm	8
06-2001	Covering Aeroflex EPDM 9x15 (in meters)	20

All items are subject to our standard conditions of sale.

**B.**

## Solarhouse Classic 3/300

The **Solarhouse Classic 3/300** set consists of 3 **Solarhouse 3000 SU** collectors(5.55m<sup>2</sup>) and a **289l double-coil tank** for domestic water heating. It is sufficient for a family of 2-4 people and gives the best results when used in the summer.




Cat. No.	Name	Qty
01-1110	Solar collector Solarhouse 3000 SU - flat panel	3
SP 289	2 Coil Copper Cylinder 289 Ltr. OR Solasyphon with Essex Flange	1
02-1003	Roof aluminium fixing type S - III	1
04-0114	Installation Set for 3 collectors	1
FlowconA	Single solar group with insulation and rotameter	1
Clamp.Screw	Clamp Screw 3/4"-15mm (or 3/4"-22mm) copper pipe connection to Flowcon A	2
18litre	Vessel for collectors 18l	1
VesselConSet	Expansion Vessel Connection Set	1
SolarRoofBolts	Solar Roof Bolts 125mm	12
TyfocorLS10	Liquid for collectors 3000 SU - 20l	2
06-2002	Covering Aeroflex EPDM 9x18 (in m)	40

All items are subject to our standard conditions of sale.

C.

## Solarhouse Consol 300L 5m<sup>2</sup> system

The **Solarhouse Consol 5m<sup>2</sup>** set with 2 **Consol 20 Tube Standard Panel** vacuum collectors (4.976m<sup>2</sup>) and a **289l double-coil tank**. Ensuring domestic water heating for a family of 3-4 people. It works reliably even on cloudy days with outside temperatures below zero. It is perfect during transitional periods and in winter. An expanded version is also available consisting of 4 x Consol 20 Tube Standard Panel vacuum collectors and a 500l tank.



Cat. No.	Name	Qty
Consol20	Solarhouse vacuum collector 20 Tube Standard Panel	2
SP 289	2 Coil Copper Cylinder 289 Ltr. OR Solasyphon with Essex Flange	1
Bolt125	Roof Mounting Solar Bolts 125	8
FlowconA	Flowcon A Pump station with temp. controller BS3	1
Clamp.Screw	Clamp Screw 3/4"-15mm (or 3/4"-22mm) copper pipe connection to Flowcon A	2
Air Sep	Air Separator	1
Air Vent	Automatic Air Vent with Isolating Valve	1
VesselConSet	Expansion Vessel Connection Set	1
18litre	Pressure Vessel 18ltr	1
Tyfocon LS10	Tyfocon Anti Freeze 10ltr	1
<b>RECOMMENDED OPTIONS</b>		
VA32 DN20	VA 32 Motorised Divert Valve	1
MA1 Valve	High Temp Mix Valve	1
SP1	Lighting Arrestor	1
DIN16 15m	DN16 2in2 15m Roll	1
DIN16 fittings	DN16 fittings (pack of 2)	1
-	22 mm straight compression required (to be supplied by installer)	3

All items are subject to our standard conditions of sale.



D.

## Solarhouse Consol 300L 6m<sup>2</sup> system

The **Solarhouse Consol 6m<sup>2</sup>** set with 1 **Consol 20 Tube Standard Panel** and 1 **Consol 30 Tube Standard Panel** vacuum collector (6.22m<sup>2</sup>) and a **289l double-coil tank**.

Ensuring domestic water heating for a family of 4-5 people. It works reliably even on cloudy days with outside temperatures below zero. It is perfect during transitional periods and in winter.



Cat. No.	Name	Qty
Consol20+30	Solarhouse vacuum collectors 20+30 Tube Standard Panel	1+1
SP 289	2 Coil Copper Cylinder 289 Ltr. OR Solasyphon with Essex Flange	1
Bolt125	Roof Mounting Solar Bolts 125	10
FlowconA	Flowcon A Pump station with temp. controller BS3	1
Clamp.Screw	Clamp Screw 3/4"-15mm (or 3/4"-22mm) copper pipe connection to Flowcon A	2
Air Sep	Air Separator	1
Air Vent	Automatic Air Vent with Isolating Valve	1
VesselConSet	Expansion Vessel Connection Set	1
18litre	Pressure Vessel 18ltr	1
Tyfocor LS10	Tyfocor Anti Freeze 20ltr	2
<b>RECOMMENDED OPTIONS</b>		
VA32 DN20	VA 32 Motorised Divert Valve	1
MA1 Valve	High Temp Mix Valve	1
SP1	Lighting Arrestor	1
DIN16 15m	DN16 2in2 15m Roll	1
DIN16 fittings	DN16 fittings (pack of 2)	1
-	22 mm straight compression required (to be supplied by installer)	3

All items are subject to our standard conditions of sale.